decrer

WPaH-AT100

ANALOG CONTROLS & PANELS Remote Wall Panel Control



PRODUCT OVERVIEW

The WPaH-AT100 is a 70/100 V line attenuator, with an integrated 24 VDC priority relay. Maximum output power: 100 W

WPa is a series of remote control wall panels for systems and interconnecting audio signals. It marks a development of its predecessor, the WPm series, with a modern, elegant, discrete aesthetic, designed in collaboration with Italdesign Giugiaro.

WPa series includes surface-mount installation box

TECHNICAL SPECIFICATIONS

WPaH-AT100

 Dimensions with surface-mount box (WxHxD)
 172 x 86 x 38 mm / 6.76"x 3.38" x 1.49"

 Weight
 0,60 Kg / 1.32 lb

 Finished colour
 White (RAL 9016)


decrer

MOUNTING DIAGRAM




The **C** frame magnets exert considerable force.

The assembly of parts **A** and **B** must be done with caution in order to avoid damaging the **C** frame lining.



cler

CONNECTION DIAGRAM



BYPASS RELAY 24V CONTROL INPUT

NO: 0VDC = Relay open (bypass inactive)

24VDC = Relay closed (bypass active)



All product characteristics subject to variation due production tolerances. are to NEEC AUDIO BARCELONA S.L. reserves the right to make changes or improvements in the design or manufacturing that may affect these product specifications.

For technical requests address to your supplier, distributor or fill the contact form in our website, at Support / Technical Request.

Motors, 166-168 08038 Barcelona - Spain - (+34) 932238403 | information@ecler.com | www.ecler.com